

NAKED FLAME



FIRE INSERT OPTIONS:

- BIOFUEL Eco-friendly, 100% heat-efficient and clean burning, which means no smoke so you don't need a chimney or a consent.
- GAS (Natural or LPG) We offer a gas insert option (through a third party).
- ELECTRIC Just for looks, but what stunningly beautiful looks.

VISIT OUR STORE

72 Barrys Point Road Takapuna Auckland

CONTACT US

0800 468 836 sales@nakedflame.nz nakedflame.nz Flue can be customised to various lengths and ceiling slope.

MATERIALS

- Material: Cold rolled steel
- Thickness: 4mm
- Colour: Black

GUARANTEE

Full money back 5 year guarantee on any faulty product.





Application	Indoor & Outdoor	
Materials	Grade 304 Stainless Steel	
Weight	5.9kg [13lbs]	
Colour & SKU	Stainless Steel ESF.2.E	.AB8
Fuel Type	e-NRG Bioethanol	

BURNER VENTILATION & EFFICIENCY*

Fuel Capacity	8 Litres [2.1 Gallons]
Heats on Average (when used indoors)	Over 60 square metres [645 square feet]
Fuel Consumption	1.1 L/h [0.29 Gal/h]
Thermal Output Net (MAX)	21.56 MJ/h - 20,433 BTU/h - 5.99 kW
Burn Time	7 - 11 hours (approx)
Minimum Room Size	116 cubic metres [4096 cubic feet] per fireplace.
Optional Accessories	Twin Feet Fixings, Fire Screens, Top Tray, Decorative Media

Read the manual carefully before operating the burner. Physical model dimensions should be verified against cut out dimensions BEFORE installation begins to confirm tolerances align.

^{*} The efficiency data outlined above is indicative only and may vary depending on the model purchased, weather conditions, installation and bioethanol used.



[14.2] Ø360 TOP VIEW [0.1] 3 [6.2] 158 [6] 152 [11.9] 301 SIDE VIEW

VISIT OUR STORE

72 Barrys Point Road Takapuna Auckland

CONTACT US

0800 468 836 sales@nakedflame.nz nakedflame.nz

